Index to volume 117

*Author index**

A

Abelson M. Data loss prevention and useful utilities. 2000;117:367-9
Ackerman JL (*see* Sarver and Ackerman). 2000;117:575-6
Akça E (*see* Canay et al). 2000;117:15-9
Akhavan M (*see* Brand et al). 2000;117:68-74 (Case rep.)
Alcan T, Keleş A, Erverdi N. The effects of a modified protraction headgear on maxilla. 2000;117:27-38
Alexander RGW. The evolutionary tidal wave. 2000;117:604-5
Aoba TJ (*see* Kondo and Aoba). 2000;117:267-87 (Case rep.)
Atkinson R (*see* Sandler et al). 2000;117:418-34 (Special article)

B

Baumrind S. Clinical research about clinical treatment: a new agenda for a new century. 2000;117:548-50
Bays RA (*see* Keeling et al). 2000;117:638-49
Becker A, Chaushu S. Dental age in maxillary canine ectopia. 2000;117:657-62
Behrents RG. Orthodontia: its outlook. 2000;117:513-5
Behrents RG (*see* Naumann et al). 2000;117:486-95
Bergersen EO (*see* Janson et al). 2000;117:119-29
Bhavra G (*see* Samuels et al). 2000;117:344-50
Bice R (*see* Cureton et al). 2000;117:728-34 (Case rep.)
Bishara SE. Ceramic brackets and the need to develop national standards. 2000;117:595-7
Bishara SE, VonWald L, Olsen ME, Laffoon JF, Jakobsen JR. Effect of light-cure time on the initial shear bond strength of a glass-ionomer adhesive. 2000;117:164-8
Bishara SE (*see* Thekkaniyil et al). 2000;117:10-4
Boyd RL. Enhancing the value of orthodontic treatment: incorporating effective preventive dentistry into treatment. 2000;117:601-3
Brand A, Akhavan M, Tong H, Kook YA, Zernik JH. Orthodontic, genetic, and periodontal considerations in the treatment of impacted maxillary central incisors: a study of twins. 2000;117:68-74 (Case rep.)
Brennan MM, Gianelly AA. The use of the lingual arch in the mixed dentition to resolve incisor crowding. 2000;117:81-5
Brown M (*see* Samuels et al). 2000;117:344-50
Burstone C. Orthodontics as a science: the role of biomechanics. 2000;117:598-600
Burstone CJ (*see* Choy et al). 2000;117:98-105
Buschang PH (*see* Gandini and Buschang). 2000;117:75-80
Buschang PH (*see* Naumann et al). 2000;117:486-95
Buschang PH (*see* Smith et al). 2000;117:169-74
Bussick TJ, McNamara JA Jr. Dentoalveolar and skeletal changes associated with the pendulum appliance. 2000;117:333-43

C

Canay Ş, Kocadereli I, Akça E. The effect of enamel air abrasion on the retention of bonded metallic orthodontic brackets. 2000;117:15-9
Caruso JM (*see* Schlenker et al). 2000;117:706-13
Casko JS, DeKock WH. B.F. "Tod" Dewel—1902-1999. 2000;117:108-9 (In memoriam)
Casko JS (*see* Shelly et al). 2000;117:630-7
Chaushu S (*see* Becker and Chaushu). 2000;117:657-62
Chay SH (*see* Rabie and Chay). 2000;117:375-83
Chay SH (*see* Rabie et al). 2000;117:288-97
Choy K, Pae E-K, Park Y, Kim K-H, Burstone CJ. Effect of root and bone morphology on the stress distribution in the periodontal ligament. 2000;117:98-105
Clark GM (*see* Keeling et al). 2000;117:638-49
Cureton SL, Bice R, Strider J. Treatment of a Class II Division I malocclusion with a severe unilateral lingual crossbite with combined orthodontic/orthognathic surgery. 2000;117:728-34 (Case rep.)
Cureton SL, Terhune W. Extraction of maxillary first bicuspids and mandibular lateral incisors, combined with orthognathic surgery to correct a severe Class II skeletal malocclusion. 2000;117:312-9 (Case rep.)

D

Dale J. Lester Levern Merrifield, Feb 1, 1920 to Jan 15, 2000. 2000;117:498-9 (In memoriam)

*January, pp. 1-118; February, pp. 119-246; March, pp. 247-374; April, pp. 375-512; May, pp. 513-628; June, pp. 629-762.

Dale JG. Serial extraction..nobody does that anymore! 2000;117:564-6
da Silva CCA (*see* Janson et al). 2000;117:119-29
DeBerardinis M, Stretesky T, Sinha P, Nanda RS. Evaluation of the vertical holding appliance in treatment of high-angle patients. 2000;117:700-6
DeKock WH, Graber LW. The World Federation of Orthodontists: "bringing the world together." 2000;117:536-7
DeKock WH (*see* Casko and DeKock). 2000;117:108-9 (In memoriam)
Demirel D (*see* Kayhan et al). 2000;117:465-73
Dermaut L (*see* Heusdens et al). 2000;117:184-91
Di Biase A (*see* Samuels et al). 2000;117:344-50
Dolce C (*see* Keeling et al). 2000;117:638-49
Dougherty HL. Clubs, quips, phrases, and hype: musings for the new millennium. 2000;117:586-8
Dugoni AA. The decade ahead: finding a better way. 2000;117:615-7

E

Efeoğlu E (*see* Yılmaz et al). 2000;117:156-63 (Case rep.)
Erverdi N (*see* Alcan et al). 2000;117:27-38
Even DE (*see* Pershing and Even). 2000;117:533-5

F

Felizer AJ (*see* Waveren Hogervorst et al). 2000;117:20-6
Figueroa AA (*see* Liou et al). 2000;117:391-8
Fish LC (*see* Marquez et al). 2000;117:130-9 (Case rep.)
Fleetham JA (*see* Liu et al). 2000;117:479-85
Fridrich KL (*see* Shelly et al). 2000;117:630-7
Fu M (*see* Liu et al). 2000;117:479-85

G

Gandini LG Jr, Buschang PH. Maxillary and mandibular width changes studied using metallic implants. 2000;117:75-80
Geramy A. Alveolar bone resorption and the center of resistance modification (3-D analysis by means of the finite element method). 2000;117:399-405
Ghosh J (*see* Klocke et al). 2000;117:384-90
Giancotti A. Nonextraction treatment of a high-angle Class II malocclusion: a case report. 2000;117:721-7 (Case rep.)
Gianelly AA. Evidence-based treatment strategies: an ambition for the future. 2000;117:543-4
Gianelly AA (*see* Brennan and Gianelly). 2000;117:81-5
Graber L. Vignette: T.M. Graber. 2000;117:516-24 (Vignette)
Graber LW (*see* DeKock and Graber). 2000;117:536-7
Graber TM. Pride in orthodontics. 2000;117:618-20
Graber TM (*see* Matasa and Graber). 2000;117:444-52 (Special article)
Graham MW, Rennert MW. The American Association of Orthodontists: for our common good, today and tomorrow. 2000;117:527-9
Griffies JM, Meyers CE. Treatment of a Class I bimaxillary protrusive malocclusion with a high mandibular plane angle: an American Board of Orthodontics case report. 2000;117:60-7 (Case rep.)
Gu Y, Rabie ABM, Hägg U. Treatment effects of simple fixed appliance and reverse headgear in correction of anterior crossbites. 2000;117:691-9
Gu Y (*see* Rabie and Gu). 2000;117:1-9
Guan G, Takano-Yamamoto T, Miyamoto M, Hattori T, Ishikawa K, Suzuki K. Shear bond strengths of orthodontic plastic brackets. 2000;117:438-43

H

Haack JE (*see* Iwasaki et al). 2000;117:175-83
Hägg U (*see* Gu et al). 2000;117:691-9
Halazonetis, D. Advanced PowerPoint animation techniques: Part I. 2000;117:737-40
Haining C (*see* Samuels et al). 2000;117:344-50
Hattori T (*see* Guan et al). 2000;117:438-43
Haydar S, Üner O. Comparison of Jones jig molar distalization appliance with extraoral traction. 2000;117:49-53
Henriques JFC (*see* Janson et al). 2000;117:119-29
Heusdens M, Dermaut L, Verbeeck R. The effect of tooth size discrepancy on occlusion: an experimental study. 2000;117:184-91
Hills D (*see* Samuels et al). 2000;117:344-50
Hoyen-Chung D (*see* Samuels et al). 2000;117:344-50
Hug H (*see* Samuels et al). 2000;117:344-50

I

Isaacson RJ. One viewpoint on teaching clinical orthodontics. 2000;117:609-10
Ishikawa H, Nakamura S, Iwasaki H, Kitazawa S. Seven parameters describing anteroposterior jaw relationships: postpubertal prediction accuracy and interchangeability. 2000;117:714-20
Ishikawa K (*see* Guan et al). 2000;117:438-43
Itoh S (*see* Takada et al). 2000;117:140-7
Iwasaki H (*see* Ishikawa et al). 2000;117:714-20
Iwasaki LR, Haack JE, Nickel JC, Morton J. Human tooth movement in response to continuous stress of low magnitude. 2000;117:175-83

J

Jacobson A. The winds of change. 2000;117:611-2
Jakobsen JR (*see* Bishara et al). 2000;117:164-8
Jakobsen JR (*see* Shelly et al). 2000;117:630-7
James MA (*see* Thekkaniyil et al). 2000;117:10-4
Janson GRP, da Silva CCA, Bergersen EO, Henriques JFC, Pinzan A. Eruption guidance appliance effects in the treatment of Class II, Division 1 malocclusions. 2000;117:119-29
Jeiroudi MT (*see* Schlenker et al). 2000;117:706-13
Jennings BD (*see* Schlenker et al). 2000;117:706-13
Jerrold L. Admissibility of board certification. 2000;117:242-4 (Litigation/legis./ethics)
Jerrold L. If a professional practice is a small business.. 2000;117:624-5 (Litigation/legis./ethics)
Jerrold L. Self-incrimination in the civil arena. 2000;117:507-9 (Litigation/legis./ethics)
Jerrold L. Thwarting vicarious liability. 2000;117:370-2 (Litigation/legis./ethics)
Johnston LE. Stop me before I write again.. 2000;117:540-2
Joondeph DR. Mysteries of asymmetries. 2000;117:577-9

K

Kassel J. Brainerd F. Swain, 1911-1999. 2000;117:364 (In memoriam)
Kayhan F, Küçükkeleş N, Demirel D. A histologic and histomorphometric evaluation of pulpal reactions following rapid palatal expansion. 2000;117:465-73
Keeling SD, Dolce C, Van Sickels JE, Bays RA, Clark GM, Rugh JD. A comparative study of skeletal and dental stability between rigid and wire fixation for mandibular advancement. 2000;117:638-49
Keleş A, Sayinsu K. A new approach in maxillary molar distalization: intraoral bodily molar distalizer. 2000;117:39-48
Keleş A (*see* Alcan et al). 2000;117:27-38
Keles A (*see* Yilmaz et al). 2000;117:156-63 (Case rep.)
Keso LR. Orthodontics in the next 100 years: prediction or speculation? 2000;117:613-4
Kiliç AR (*see* Yilmaz et al). 2000;117:156-63 (Case rep.)
Kim K-H (*see* Choy et al). 2000;117:98-105
Kitazawa S (*see* Ishikawa et al). 2000;117:714-20
Klocke A, Nanda RS, Ghosh J. Muscle activity with the mandibular lip bumper. 2000;117:384-90
Kocadereli I (*see* Canay et al). 2000;117:15-9
Kokich VG (*see* Vaden and Kokich). 2000;117:530-2
Kondo E, Aoba TJ. Nonsurgical and nonextraction treatment of skeletal Class III open bite: its long-term stability. 2000;117:267-87 (Case rep.)
Kook YA (*see* Brand et al). 2000;117:68-74 (Case rep.)
Kronmiller J (*see* Vig and Kronmiller). 2000;117:113-5
Küçükkeleş N (*see* Kayhan et al). 2000;117:465-73
Kuftinec MM (*see* Voudouris and Kuftinec). 2000;117:247-66
Kusy RP. Orthodontic biomechanics: vistas from the top of a new century. 2000;117:589-91

L

Laffoon JF (*see* Bishara et al). 2000;117:164-8
Larsson E (*see* Lindsten et al). 2000;117:663-8
Leitao P, Nanda RS. Relationship of natural head position to craniofacial morphology. 2000;117:406-17
Lindsten R, Ögaard B, Larsson E. Difference in dental lateral arch length between 9-year-olds born in the 1960s and the 1980s. 2000;117:663-8
Liou EJ-W, Figueroa AA, Polley JW. Rapid orthodontic tooth movement into newly distracted bone after mandibular distraction osteogenesis in a canine model. 2000;117:391-8
Liu Y, Lowe AA, Zeng X, Fu M, Fleetham JA. Cephalometric comparisons between Chinese and Caucasian patients with obstructive sleep apnea. 2000;117:479-85
Lowe AA (*see* Liu et al). 2000;117:479-85

M

Mah JK. Do you have a satellite office in cyberspace? 2000;117:622-3
Marquez IM, Fish LC, Stella JP. Two-year follow-up of distraction osteogenesis: its effect on mandibular ramus height in hemifacial microsomia. 2000;117:130-9 (Case rep.)
Masella R (*see* Meister and Masella). 2000;117:115
Matasa CG, Graber TM. Angle, the innovator, mechanical genius, and clinician. 2000;117:444-52 (Special article)
Matsuo T (*see* Nakago-Matsuo et al). 2000;117:474-8
McNamara JA. Maxillary transverse deficiency. 2000;117:567-70
McNamara JA Jr (*see* Bussick and McNamara). 2000;117:333-43
Meister M, Masella R. New orthodontic program at Nova Southeastern University. 2000;117:115
Mergen JL (*see* Shelly et al). 2000;117:630-7
Meyers CE (*see* Griffies and Meyers). 2000;117:60-7 (Case rep.)
Miura F. Looking back and forward through my career in orthodontics. 2000;117:582-3
Miyamoto M (*see* Guan et al). 2000;117:438-43
Moen RS. The American Association of Orthodontists at 2000: some thoughts for the new millennium. 2000;117:525-6
Mollenhauer B. Stanley Jacobs, 1939-2000. 2000;117:501 (In memoriam)
Moro A, Scanavini MA, Vigorito JW. Johnston analysis evaluation of Class II correction in patients belonging to Petrovic growth categories 3 and 5. 2000;117:86-97
Morton J (*see* Iwasaki et al). 2000;117:175-83
Moss JP. 2D or not 2D? That is the question. 2000;117:580-1
Murray AM (*see* Sandler et al). 2000;117:418-34 (Special article)

N

Nakago-Matsuo C, Matsuo T, Nakago T. Basal nitric oxide production is enhanced by hydraulic pressure in cultured human periodontal ligament fibroblasts. 2000;117:474-8
Nakago T (*see* Nakago-Matsuo et al). 2000;117:474-8
Nakamura S (*see* Ishikawa et al). 2000;117:714-20
Nanda RS. The contributions of craniofacial growth to clinical orthodontics. 2000;117:553-5
Nanda RS (*see* DeBerardinis et al). 2000;117:700-6
Nanda RS (*see* Klocke et al). 2000;117:384-90
Nanda RS (*see* Leitao and Nanda). 2000;117:406-17
Naumann SA, Behrents RG, Buschang PH. Vertical components of overbite change: a mathematical model. 2000;117:486-95
Nickel JC (*see* Iwasaki et al). 2000;117:175-83

O

Ögaard B (*see* Lindsten et al). 2000;117:663-8
Olsen ME (*see* Bishara et al). 2000;117:164-8
O'Neill J (*see* Samuels et al). 2000;117:344-50
Orsini RH. Treatment of a patient with a Class I malocclusion with bialveolar protrusion, mild upper and lower crowding, and mild mandibular prognathism. 2000;117:453-8 (Case rep.)

P

Pae E-K (*see* Choy et al). 2000;117:98-105
Pancherz H. Dentofacial orthopedics or orthognathic surgery: Is it a matter of age? 2000;117:571-4
Park Y (*see* Choy et al). 2000;117:98-105
Parker WS. Useful data from application of the HLD (CalMod) Index. 2000;117:435-7
Pershing JK Jr, Even DE. American Association of Orthodontists Foundation: past, present, and future. 2000;117:533-5
Pinzan A (*see* Janson et al). 2000;117:119-29
Polley JW (*see* Liou et al). 2000;117:391-8
Powers R. Computer voice recognition. 2000;117:504-6
Prahl-Anderson B (*see* Waveren Hogervorst et al). 2000;117:20-6
Proffit WR. The evolution of orthodontics to a data-based specialty. 2000;117:545-7

R

Rabie ABM, Chay SH. Clinical applications of composite intramembranous bone grafts. 2000;117:375-83

Rabie ABM, Chay SH, Wong AMK. Healing of autogenous intramembranous bone in the presence and absence of homologous demineralized intramembranous bone. 2000;117:288-97
Rabie ABM, Gu Y. Diagnostic criteria for pseudo–Class III malocclusion. 2000;117:1-9
Rabie ABM (*see* Gu et al). 2000;117:691-9
Redmond MJ (*see* Redmond et al). 2000;117:240-1
Redmond WJ (*see* Redmond et al). 2000;117:240-1
Redmond WR, Redmond WJ, Redmond MJ. Clinical implications of digital orthodontics. 2000;117:240-1
Regennitter FJ. Planning considerations for digital conversion of 35mm slides. 2000;117:110-2
Rennert MW (*see* Graham and Rennert). 2000;117:527-9
Ricketts RM. A statement regarding early treatment. 2000;117:556-8
Rogers KS. William A. Mitchell, Jr, April 26, 1933 to March 17, 2000. 2000;117:621 (In memoriam)
Rothstein T, Yoon-Tarlie C. Dental and facial skeletal characteristics and growth of males and females with Class II, Division 1 malocclusion between the ages of 10 and 14 (revisited)—part I: characteristics of size, form, and position. 2000;117:320-32
Rugh JD (*see* Keeling et al). 2000;117:638-49

S

Saadia M, Torres E. Sagittal changes after maxillary protraction with expansion in Class III patients in the primary, mixed, and late mixed dentitions: a longitudinal retrospective study. 2000;117:669-80
Sabri R. Cleft lip and palate management with maxillary expansion and space opening for a single tooth implant. 2000;117:148-55 (Case rep.)
Safinia K. Maurice Samuel Berman, 1914-1999. 2000;117:500 (In memoriam)
Samuels R, O'Neill J, Bhavra G, Hills D, Thomas P, Hug H, Brown M, Haining C, Stern M, Di Biase A, Straw S, Hoyen-Chung D. A clinical evaluation of a locking orthodontic facebow. 2000;117:344-50
Sandler PJ, Atkinson R, Murray AM. For four sixes. 2000;117:418-34 (Special article)
Sarver DM, Ackerman JL. Orthodontics about face: the re-emergence of the esthetic paradigm. 2000;117:575-6
Sayinsu K (*see* Keleş and Sayinsu). 2000;117:39-48
Scanavini MA (*see* Moro et al). 2000;117:86-97
Schach RT. Treatment of a Class II, Division 1, malocclusion with the extraction of maxillary canines and mandibular first premolars. 2000;117:459-64 (Case rep.)
Schlenker WL, Jennings BD, Jeiroudi MT, Caruso JM. The effects of chronic absence of active nasal respiration on the growth of the skull: a pilot study. 2000;117:706-13
Shearn BN, Woods MG. An occlusal and cephalometric analysis of lower first and second premolar extraction effects. 2000;117:351-61
Shelly AD, Southard TE, Southard KA, Casko JS, Jakobsen JR, Fridrich KL, Mergen JL. Evaluation of profile esthetic change with mandibular advancement surgery. 2000;117:630-7
Sinclair PM. Tomorrow's challenges for the science of orthodontics. 2000;117:551-2
Sinha P (*see* DeBerardinis et al). 2000;117:700-6
Slavkin H. Toward understanding the molecular basis of craniofacial growth and development. 2000;117:538-9
Smith SS, Buschang PH, Watanabe E. Interarch tooth size relationships of 3 populations: "Does Bolton's analysis apply?" 2000;117:169-74
Sorihashi Y (*see* Takada et al). 2000;117:140-7
Sorihashi Y, Stephens CD, Takada K. An inference modeling of human visual judgment of sagittal jaw-base relationships based on cephalometry: part II. 2000;117:303-11
Southard KA (*see* Shelly et al). 2000;117:630-7
Southard TE (*see* Shelly et al). 2000;117:630-7
Stella JP (*see* Marquez et al). 2000;117:130-9 (Case rep.)
Stephens CD (*see* Sorihashi et al). 2000;117:303-11
Stephens CD (*see* Takada et al). 2000;117:140-7
Stern M (*see* Samuels et al). 2000;117:344-50
Straw S (*see* Samuels et al). 2000;117:344-50
Stretesky T (*see* DeBerardinis et al). 2000;117:700-6
Strider J (*see* Cureton et al). 2000;117:728-34 (Case rep.)
Stutts WF. Robert Murray Ricketts, DDS, MS. 2000;117:239 (Vignette)
Suzuki K (*see* Guan et al). 2000;117:438-43

T

Taeger EM. George S. Uchiyama, DDS, MS, 1922-1999. 2000;117:238 (In memoriam)
Tahmina K, Tanaka E, Tanne K. Craniofacial morphology in orthodontically treated patients of Class III malocclusion with stable and unstable treatment outcomes. 2000;117:681-90
Takada K (*see* Sorihashi et al). 2000;117:303-11
Takada K, Sorihashi Y, Stephens CD, Itoh S. An inference modeling of human visual judgment of sagittal jaw-base relationships based on cephalometry: part I. 2000;117:140-7
Takano-Yamamoto T (*see* Guan et al). 2000;117:438-43
Tanaka E (*see* Tahmina et al). 2000;117:681-90
Tanne K (*see* Tahmina et al). 2000;117:681-90
Terhune W (*see* Cureton and Terhune). 2000;117:312-9 (Case rep.)
Thekkaniyil JK, Bishara SE, James MA. Dental and skeletal findings on an ancient Egyptian mummy. 2000;117:10-4
Thilander B. Orthodontic relapse versus natural development. 2000;117:562-3
Thomas P (*see* Samuels et al). 2000;117:344-50
Thurow RC. Otic axis locator: closing the accuracy gap in cephalometrics and cast mounting. 2000;117:298-302
Tong H (*see* Brand et al). 2000;117:68-74 (Case rep.)
Torres E (*see* Saadia and Torres). 2000;117:669-80
Trenouth MJ. Cephalometric evaluation of the Twin-block appliance in the treatment of Class II Division 1 malocclusion with matched normative growth data. 2000;117:54-9
Turpin DL. Contemporary technology-centered practice. 2000;117:606-8
Turpin DL. Online *AJO/DO* becomes a member benefit. 2000;117:629 (Editorial)

U

Üner O (*see* Haydar and Üner). 2000;117:49-53

V

Vaden JL. Orthodontic magic. 2000;117:584-5
Vaden JL, Kokich VG. American Board of Orthodontics: past, present, and future. 2000;117:530-2
Van Sickels JE (*see* Keeling et al). 2000;117:638-49
Vastardis H. The genetics of human tooth agenesis: new discoveries for understanding dental anomalies. 2000;117:650-6
Verbeeck R (*see* Heusdens et al). 2000;117:184-91
Vig K, Kronmiller J. Critical issues in academic orthodontics. 2000;117:113-5
Vigorito JW (*see* Moro et al). 2000;117:86-97
VonWald L (*see* Bishara et al). 2000;117:164-8
Voudouris JC, Kuftinec MM. Improved clinical use of Twin-block and Herbst as a result of radiating viscoelastic tissue forces on the condyle and fossa in treatment and long-term retention: growth relativity. 2000;117:247-66

W

Wahl N. Bernhard Wolf Weinberger (1885-1960). 2000;117:502-3 (Vignette)
Wahl N. Rodrigues Ottolengui, MDS, DDS, LLD, FACD. 2000;117:365-6 (Vignette)
Watanabe E (*see* Smith et al). 2000;117:169-74
Waveren Hogervorst WLv, Felizer AJ, Prahl-Anderson B. The air-abrasion technique versus the conventional acid-etching technique: a quantification of surface enamel loss and a comparison of shear bond strength. 2000;117:20-6
Wong AMK (*see* Rabie et al). 2000;117:288-97
Woods MG (*see* Shearn and Woods). 2000;117:351-61
Woodside DG. The significance of late developmental crowding to early treatment planning for incisor crowding. 2000;117:559-60

Y

Yilmaz S, Kiliç AR, Keles A, Efeoğlu E. Reconstruction of an alveolar cleft for orthodontic tooth movement. 2000;117:156-63 (Case rep.)
Yoon-Tarlie C (*see* Rothstein and Yoon-Tarlie). 2000;117:320-32

Z

Zachrisson BU. Orthodontic bonding to artificial tooth surfaces: clinical versus laboratory findings. 2000;117:592-4
Zeng X (*see* Liu et al). 2000;117:479-85
Zernik JH (*see* Brand et al). 2000;117:68-74 (Case rep.)

*Subject index**

A

Abnormalities
The genetics of human tooth agenesis: new discoveries for understanding dental anomalies (Vastardis). 2000;117:650-6
Reconstruction of an alveolar cleft f orthodontic tooth movement (Yilmaz et al). 2000;117:156-63 (Case rep.)
Abrasion; *see* Tooth abrasion
Abstracts
Abstracts. 2000;117:116-7, 245, 373, 510-1, 626-7
Academic training; *see* Teaching
Acid etching
The air-abrasion technique versus the conventional acid-etching technique: a quantification of surface enamel loss and a comparison of shear bond strength (Waveren Hogervorst et al). 2000;117:20-6
The effect of enamel air abrasion on the retention of bonded metallic orthodontic brackets (Canay et al). 2000;117:15-9
Adenoid facies
The effects of chronic absence of active nasal respiration on the growth of the skull: a pilot study (Schlenker et al). 2000;117:706-13
Adhesives
Effect of light-cure time on the initial shear bond strength of a glass-ionomer adhesive (Bishara et al). 2000;117:164-8
Shear bond strengths of orthodontic plastic brackets (Guan et al). 2000;117:438-43
Adolescence
Craniofacial morphology in orthodontically treated patients of Class III malocclusion with stable and unstable treatment outcomes (Tahmina et al). 2000;117:681-90
Treatment of a Class I bimaxillary protrusive malocclusion with a high mandibular plane angle: an American Board of Orthodontics case report (Griffies and Meyers). 2000;117:60-7 (Case rep.)
Vertical components of overbite change: a mathematical model (Naumann et al). 2000;117:486-95
Advertising
If a professional practice is a small business.. (Jerrold). 2000;117:624-5 (Litigation/legis./ethics)
Age factors
Dental age in maxillary canine ectopia (Becker and Chaushu). 2000;117:657-62
Dentofacial orthopedics or orthognathic surgery: Is it a matter of age? (Pancherz). 2000;117:571-4
Agenesis
The genetics of human tooth agenesis: new discoveries for understanding dental anomalies (Vastardis). 2000;117:650-6
Air abrasion
The air-abrasion technique versus the conventional acid-etching technique: a quantification of surface enamel loss and a comparison of shear bond strength (Waveren Hogervorst et al). 2000;117:20-6
The effect of enamel air abrasion on the retention of bonded metallic orthodontic brackets (Canay et al). 2000;117:15-9
Alveolar bone loss
Alveolar bone resorption and the center of resistance modification (3-D analysis by means of the finite element method) (Geramy). 2000;117:399-405
Effect of root and bone morphology on the stress distribution in the periodontal ligament (Choy et al). 2000;117:98-105
Amalgam
Orthodontic bonding to artificial tooth surfaces: clinical versus laboratory findings (Zachrisson). 2000;117:592-4
American Association of Orthodontists
The American Association of Orthodontists: for our common good, today and tomorrow (Graham and Rennert). 2000;117:527-9
The American Association of Orthodontists at 2000: some thoughts for the new millennium (Moen). 2000;117:525-6
American Association of Orthodontists Foundation: past, present, and future (Pershing and Even). 2000;117:533-5
Critical issues in academic orthodontics (Vig and Kronmiller). 2000;117:113-5
Directory: AAO officers and organizations. 2000;117:118, 246, 374, 512, 628
Orthodontia: its outlook (Behrents). 2000;117:513-5
Preliminary program of the 100th annual session. 2000;117:194-237
Pride in orthodontics (Graber). 2000;117:618-20
American Board of Orthodontics
American Board of Orthodontics: past, present, and future (Vaden and Kokich). 2000;117:530-2
Pride in orthodontics (Graber). 2000;117:618-20
Treatment of a Class I bimaxillary protrusive malocclusion with a high mandibular plane angle: an American Board of Orthodontics case report (Griffies and Meyers). 2000;117:60-7 (Case rep.)
Treatment of a patient with a Class I malocclusion with bialveolar protrusion, mild upper and lower crowding, and mild mandibular prognathism (Orsini). 2000;117:453-8 (Case rep.)
American Journal of Orthodontics and Dentofacial Orthopedics
Online *AJO/DO* becomes a member benefit (Turpin). 2000;117:629 (Editorial)
Pride in orthodontics (Graber). 2000;117:618-20
Angle, Edward H.
Angle, the innovator, mechanical genius, and clinician (Matasa and Graber). 2000;117:444-52 (Special article)
Animal models
Rapid orthodontic tooth movement into newly distracted bone after mandibular distraction osteogenesis in a canine model (Liou et al). 2000;117:391-8
Anodontia
The genetics of human tooth agenesis: new discoveries for understanding dental anomalies (Vastardis). 2000;117:650-6
Appliances; *see* Orthodontic appliances
Artificial tooth; *see* Tooth, artificial
Autograft; *see* Transplantation, autologous

B

Berman, Maurice Samuel
Maurice Samuel Berman, 1914-1999 (Safinia). 2000;117:500 (In memoriam)
Bicuspid; *see* Premolar
Biomechanics
Orthodontic biomechanics: vistas from the top of a new century (Kusy). 2000;117:589-91
Orthodontics as a science: the role of biomechanics (Burstone). 2000;117:598-600
Bite force
Improved clinical use of Twin-block and Herbst as a result of radiating viscoelastic tissue forces on the condyle and fossa in treatment and long-term retention: growth relativity (Voudouris and Kuftinec). 2000;117:247-66
Bolton's analysis
The effect of tooth size discrepancy on occlusion: an experimental study (Heusdens et al). 2000;117:184-91
Interarch tooth size relationships of 3 populations: "Does Bolton's analysis apply?" (Smith et al). 2000;117:169-74
Bond strength
The air-abrasion technique versus the conventional acid-etching technique: a quantification of surface enamel loss and a comparison of shear bond strength (Waveren Hogervorst et al). 2000;117:20-6
The effect of enamel air abrasion on the retention of bonded metallic orthodontic brackets (Canay et al). 2000;117:15-9
Effect of light-cure time on the initial shear bond strength of a glass-ionomer adhesive (Bishara et al). 2000;117:164-8
Orthodontic bonding to artificial tooth surfaces: clinical versus laboratory findings (Zachrisson). 2000;117:592-4
Shear bond strengths of orthodontic plastic brackets (Guan et al). 2000;117:438-43
Bonding
Orthodontic bonding to artificial tooth surfaces: clinical versus laboratory findings (Zachrisson). 2000;117:592-4

*January, pp. 1-118; February, pp. 119-246; March, pp. 247-374; April, pp. 375-512; May, pp. 513-628; June, pp. 629-762.

Bone demineralization
Clinical applications of composite intramembranous bone grafts (Rabie and Chay). 2000;117:375-83
Healing of autogenous intramembranous bone in the presence and absence of homologous demineralized intramembranous bone (Rabie et al). 2000;117:288-97
Bone lengthening
Rapid orthodontic tooth movement into newly distracted bone after mandibular distraction osteogenesis in a canine model (Liou et al). 2000;117:391-8
Two-year follow-up of distraction osteogenesis: its effect on mandibular ramus height in hemifacial microsomia (Marquez et al). 2000;117:130-9 (Case rep.)
Bone matrix
Clinical applications of composite intramembranous bone grafts (Rabie and Chay). 2000;117:375-83
Healing of autogenous intramembranous bone in the presence and absence of homologous demineralized intramembranous bone (Rabie et al). 2000;117:288-97
Bone transplantation
Cleft lip and palate management with maxillary expansion and space opening for a single tooth implant (Sabri). 2000;117:148-55 (Case rep.)
Clinical applications of composite intramembranous bone grafts (Rabie and Chay). 2000;117:375-83
Healing of autogenous intramembranous bone in the presence and absence of homologous demineralized intramembranous bone (Rabie et al). 2000;117:288-97
Bones, growth and development
Cephalometric evaluation of the Twin-block appliance in the treatment of Class II Division 1 malocclusion with matched normative growth data (Trenouth). 2000;117:54-9
The contributions of craniofacial growth to clinical orthodontics (Nanda). 2000;117:553-5
Dental and facial skeletal characteristics and growth of males and females with Class II, Division 1 malocclusion between the ages of 10 and 14 (revisited)—part I: characteristics of size, form, and position (Rothstein and Yoon-Tarlie). 2000;117:320-32
The effects of chronic absence of active nasal respiration on the growth of the skull: a pilot study (Schlenker et al). 2000;117:706-13
Eruption guidance appliance effects in the treatment of Class II, Division 1 malocclusions (Janson et al). 2000;117:119-29
Improved clinical use of Twin-block and Herbst as a result of radiating viscoelastic tissue forces on the condyle and fossa in treatment and long-term retention: growth relativity (Voudouris and Kuftinec). 2000;117:247-66
Johnston analysis evaluation of Class II correction in patients belonging to Petrovic growth categories 3 and 5 (Moro et al). 2000;117:86-97
Maxillary and mandibular width changes studied using metallic implants (Gandini and Buschang). 2000;117:75-80
Nonsurgical and nonextraction treatment of skeletal Class III open bite: its long-term stability (Kondo and Aoba). 2000;117:267-87 (Case rep.)
Toward understanding the molecular basis of craniofacial growth and development (Slavkin). 2000;117:538-9
Two-year follow-up of distraction osteogenesis: its effect on mandibular ramus height in hemifacial microsomia (Marquez et al). 2000;117:130-9 (Case rep.)
Brackets; *see* Orthodontic brackets

C

CalMod Index
Useful data from application of the HLD (CalMod) Index (Parker). 2000;117:435-7
Canine tooth
Dental age in maxillary canine ectopia (Becker and Chaushu). 2000;117:657-62
Treatment of a Class II, Division 1, malocclusion with the extraction of maxillary canines and mandibular first premolars (Schach). 2000;117:459-64 (Case rep.)
Career
Looking back and forward through my career in orthodontics (Miura). 2000;117:582-3
Case reports
ABO case reports. 2000;117:60-7, 453-64
Case reports. 2000;117:68-74, 130-9, 148-63, 267-87, 312-9, 721-34
Caucasians
Cephalometric comparisons between Chinese and Caucasian patients with obstructive sleep apnea (Liu et al). 2000;117:479-85
Cements
Effect of light-cure time on the initial shear bond strength of a glass-ionomer adhesive (Bishara et al). 2000;117:164-8
Cephalometry
Cephalometric comparisons between Chinese and Caucasian patients with obstructive sleep apnea (Liu et al). 2000;117:479-85
Cephalometric evaluation of the Twin-block appliance in the treatment of Class II Division 1 malocclusion with matched normative growth data (Trenouth). 2000;117:54-9
Eruption guidance appliance effects in the treatment of Class II, Division 1 malocclusions (Janson et al). 2000;117:119-29
An inference modeling of human visual judgment of sagittal jaw-base relationships based on cephalometry: part I (Takada et al). 2000;117:140-7
An inference modeling of human visual judgment of sagittal jaw-base relationships based on cephalometry: part II (Sorihashi et al). 2000;117:303-11
An occlusal and cephalometric analysis of lower first and second premolar extraction effects (Shearn and Woods). 2000;117:351-61
Otic axis locator: closing the accuracy gap in cephalometrics and cast mounting (Thurow). 2000;117:298-302
Relationship of natural head position to craniofacial morphology (Leitao and Nanda). 2000;117:406-17
Seven parameters describing anteroposterior jaw relationships: postpubertal prediction accuracy and interchangeability (Ishikawa et al). 2000;117:714-20
Ceramics
Ceramic brackets and the need to develop national standards (Bishara). 2000;117:595-7
Certification
Admissibility of board certification (Jerrold). 2000;117:242-4 (Litigation/legis./ethics)
Treatment of a patient with a Class I malocclusion with bialveolar protrusion, mild upper and lower crowding, and mild mandibular prognathism (Orsini). 2000;117:453-8 (Case rep.)
Challenges
Tomorrow's challenges for the science of orthodontics (Sinclair). 2000;117:551-2
Chewing; *see* Mastication
Child
Dental and facial skeletal characteristics and growth of males and females with Class II, Division 1 malocclusion between the ages of 10 and 14 (revisited)—part I: characteristics of size, form, and position (Rothstein and Yoon-Tarlie). 2000;117:320-32
Difference in dental lateral arch length between 9-year-olds born in the 1960s and the 1980s (Lindsten et al). 2000;117:663-8
Treatment of a Class I bimaxillary protrusive malocclusion with a high mandibular plane angle: an American Board of Orthodontics case report (Griffies and Meyers). 2000;117:60-7 (Case rep.)
Vertical components of overbite change: a mathematical model (Naumann et al). 2000;117:486-95
Chinese; *see* Mongoloid race
Cleft lip and palate
Cleft lip and palate management with maxillary expansion and space opening for a single tooth implant (Sabri). 2000;117:148-55 (Case rep.)
Reconstruction of an alveolar cleft for orthodontic tooth movement (Yilmaz et al). 2000;117:156-63 (Case rep.)
Clinical protocols
Clinical research about clinical treatment: a new agenda for a new century (Baumrind). 2000;117:548-50
Enhancing the value of orthodontic treatment: incorporating effective preventive dentistry into treatment (Boyd). 2000;117:601-3
Evidence-based treatment strategies: an ambition for the future (Gianelly). 2000;117:543-4
The evolutionary tidal wave (Alexander). 2000;117:604-5
One viewpoint on teaching clinical orthodontics (Isaacson). 2000;117:609-10

Orthodontic magic (Vaden). 2000;117:584-5
Orthodontics about face: the re-emergence of the esthetic paradigm (Sarver and Ackerman). 2000;117:575-6

Clubs
Clubs, quips, phrases, and hype: musings for the new millennium (Dougherty). 2000;117:586-8

Computers
Clinical implications of digital orthodontics (Redmond et al). 2000;117:240-1
Computer voice recognition (Powers). 2000;117:504-6
Data loss prevention and useful utilities (Abelson). 2000;117:367-9
Do you have a satellite office in cyberspace? (Mah). 2000;117:622-3
Planning considerations for digital conversion of 35 mm slides (Regennitter). 2000;117:110-2

Continuing education; *see* Education, continuing

Craniofacial characteristics
Dental and facial skeletal characteristics and growth of males and females with Class II, Division 1 malocclusion between the ages of 10 and 14 (revisited)—part I: characteristics of size, form, and position (Rothstein and Yoon-Tarlie). 2000;117:320-32

Craniofacial growth and development
Cephalometric evaluation of the Twin-block appliance in the treatment of Class II Division 1 malocclusion with matched normative growth data (Trenouth). 2000;117:54-9
The contributions of craniofacial growth to clinical orthodontics (Nanda). 2000;117:553-5
Dentofacial orthopedics or orthognathic surgery: Is it a matter of age? (Pancherz). 2000;117:571-4
Johnston analysis evaluation of Class II correction in patients belonging to Petrovic growth categories 3 and 5 (Moro et al). 2000;117:86-97
Toward understanding the molecular basis of craniofacial growth and development (Slavkin). 2000;117:538-9

Craniofacial morphology
Cephalometric comparisons between Chinese and Caucasian patients with obstructive sleep apnea (Liu et al). 2000;117:479-85
Craniofacial morphology in orthodontically treated patients of Class III malocclusion with stable and unstable treatment outcomes (Tahmina et al). 2000;117:681-90
Reconstruction of an alveolar cleft for orthodontic tooth movement (Yilmaz et al). 2000;117:156-63 (Case rep.)
Relationship of natural head position to craniofacial morphology (Leitao and Nanda). 2000;117:406-17

Craniomandibular disorders
Nonsurgical and nonextraction treatment of skeletal Class III open bite: its long-term stability (Kondo and Aoba). 2000;117:267-87 (Case rep.)

Crossbite
Treatment effects of simple fixed appliance and reverse headgear in correction of anterior crossbites (Gu et al). 2000;117:691-9
Treatment of a Class II Division 1 malocclusion with a severe unilateral lingual crossbite with combined orthodontic/orthognathic surgery (Cureton et al). 2000;117:728-34 (Case rep.)

Crowding; *see* Malocclusion

Cuspid; *see* Canine tooth

Cyberspace
Do you have a satellite office in cyberspace? (Mah). 2000;117:622-3

D

Database management systems
The evolution of orthodontics to a data-based specialty (Proffit). 2000;117:545-7

Deglutition
Muscle activity with the mandibular lip bumper (Klocke et al). 2000;117:384-90

Demography
Interarch tooth size relationships of 3 populations: "Does Bolton's analysis apply?" (Smith et al). 2000;117:169-74

Dental amalgam
Orthodontic bonding to artificial tooth surfaces: clinical versus laboratory findings (Zachrisson). 2000;117:592-4

Dental arch
Difference in dental lateral arch length between 9-year-olds born in the 1960s and the 1980s (Lindsten et al). 2000;117:663-8
The effect of tooth size discrepancy on occlusion: an experimental study (Heusdens et al). 2000;117:184-91
Interarch tooth size relationships of 3 populations: "Does Bolton's analysis apply?" (Smith et al). 2000;117:169-74
Muscle activity with the mandibular lip bumper (Klocke et al). 2000;117:384-90
An occlusal and cephalometric analysis of lower first and second premolar extraction effects (Shearn and Woods). 2000;117:351-61
Rapid orthodontic tooth movement into newly distracted bone after mandibular distraction osteogenesis in a canine model (Liou et al). 2000;117:391-8
The use of the lingual arch in the mixed dentition to resolve incisor crowding (Brennan and Gianelly). 2000;117:81-5

Dental casting technique
Otic axis locator: closing the accuracy gap in cephalometrics and cast mounting (Thurow). 2000;117:298-302

Dental enamel; *see* Enamel

Dental impression technique
Otic axis locator: closing the accuracy gap in cephalometrics and cast mounting (Thurow). 2000;117:298-302

Dental pulp
A histologic and histomorphometric evaluation of pulpal reactions following rapid palatal expansion (Kayhan et al). 2000;117:465-73

Dental stress analysis
Effect of root and bone morphology on the stress distribution in the periodontal ligament (Choy et al). 2000;117:98-105
Human tooth movement in response to continuous stress of low magnitude (Iwasaki et al). 2000;117:175-83

Dentition
Difference in dental lateral arch length between 9-year-olds born in the 1960s and the 1980s (Lindsten et al). 2000;117:663-8
The genetics of human tooth agenesis: new discoveries for understanding dental anomalies (Vastardis). 2000;117:650-6
Sagittal changes after maxillary protraction with expansion in Class III patients in the primary, mixed, and late mixed dentitions: a longitudinal retrospective study (Saadia and Torres). 2000;117:669-80
The significance of late developmental crowding to early treatment planning for incisor crowding (Woodside). 2000;117:559-60
Treatment effects of simple fixed appliance and reverse headgear in correction of anterior crossbites (Gu et al). 2000;117:691-9
The use of the lingual arch in the mixed dentition to resolve incisor crowding (Brennan and Gianelly). 2000;117:81-5

Dentofacial characteristics
Dental and facial skeletal characteristics and growth of males and females with Class II, Division 1 malocclusion between the ages of 10 and 14 (revisited)—part I: characteristics of size, form, and position (Rothstein and Yoon-Tarlie). 2000;117:320-32

Dentofacial structures
Dental and skeletal findings on an ancient Egyptian mummy (Thekkaniyil et al). 2000;117:10-4

Dewel, B.F. "Tod"
B.F. "Tod" Dewel—1902-1999 (Casko and DeKock). 2000;117:108-9 (In memoriam)

Digital computers; *see* Computers

Digital images
Clinical implications of digital orthodontics (Redmond et al). 2000;117:240-1
Planning considerations for digital conversion of 35 mm slides (Regennitter). 2000;117:110-2

Distalization
Comparison of Jones jig molar distalization appliance with extraoral traction (Haydar and Üner). 2000;117:49-53
Dentoalveolar and skeletal changes associated with the pendulum appliance (Bussick and McNamara). 2000;117:333-43
A new approach in maxillary molar distalization: intraoral bodily molar distalizer (Keleş and Sayinsu). 2000;117:39-48
Nonextraction treatment of a high-angle Class II malocclusion: a case report (Giancotti). 2000;117:721-7 (Case rep.)

Distraction osteogenesis; *see* Osteogenesis

Dogs
Rapid orthodontic tooth movement into newly distracted bone after

mandibular distraction osteogenesis in a canine model (Liou et al). 2000;117:391-8

E

Ear canal
Otic axis locator: closing the accuracy gap in cephalometrics and cast mounting (Thurow). 2000;117:298-302
Early treatment
The significance of late developmental crowding to early treatment planning for incisor crowding (Woodside). 2000;117:559-60
A statement regarding early treatment (Ricketts). 2000;117:556-8
Ectopia
Dental age in maxillary canine ectopia (Becker and Chaushu). 2000;117:657-62
Editorials
Online *AJO/DO* becomes a member benefit (Turpin). 2000;117:629
Education
Critical issues in academic orthodontics (Vig and Kronmiller). 2000;117:113-5
The decade ahead: finding a better way (Dugoni). 2000;117:615-7
New orthodontic program at Nova Southeastern University (Meister and Masella). 2000;117:115
One viewpoint on teaching clinical orthodontics (Isaacson). 2000;117:609-10
Education, continuing
Basal nitric oxide production is enhanced by hydraulic pressure in cultured human periodontal ligament fibroblasts (Nakago-Matsuo et al). 2000;117:474-8
Cephalometric comparisons between Chinese and Caucasian patients with obstructive sleep apnea (Liu et al). 2000;117:479-85
A clinical evaluation of a locking orthodontic facebow (Samuels et al). 2000;117:344-50
Dental and facial skeletal characteristics and growth of males and females with Class II, Division 1 malocclusion between the ages of 10 and 14 (revisited)—part I: characteristics of size, form, and position (Rothstein and Yoon-Tarlie). 2000;117:320-32
Dentoalveolar and skeletal changes associated with the pendulum appliance (Bussick and McNamara). 2000;117:333-43
Effect of light-cure time on the initial shear bond strength of a glass-ionomer adhesive (Bishara et al). 2000;117:164-8
The effect of tooth size discrepancy on occlusion: an experimental study (Heusdens et al). 2000;117:184-91
A histologic and histomorphometric evaluation of pulpal reactions following rapid palatal expansion (Kayhan et al). 2000;117:465-73
Human tooth movement in response to continuous stress of low magnitude (Iwasaki et al). 2000;117:175-83
Interarch tooth size relationships of 3 populations: "Does Bolton's analysis apply?" (Smith et al). 2000;117:169-74
Johnston analysis evaluation of Class II correction in patients belonging to Petrovic growth categories 3 and 5 (Moro et al). 2000;117:86-97
Maxillary and mandibular width changes studied using metallic implants (Gandini and Buschang). 2000;117:75-80
An occlusal and cephalometric analysis of lower first and second premolar extraction effects (Shearn and Woods). 2000;117:351-61
The use of the lingual arch in the mixed dentition to resolve incisor crowding (Brennan and Gianelly). 2000;117:81-5
Vertical components of overbite change: a mathematical model (Naumann et al). 2000;117:486-95
Electromyography
Muscle activity with the mandibular lip bumper (Klocke et al). 2000;117:384-90
Enamel
The air-abrasion technique versus the conventional acid-etching technique: a quantification of surface enamel loss and a comparison of shear bond strength (Waveren Hogervorst et al). 2000;117:20-6
The effect of enamel air abrasion on the retention of bonded metallic orthodontic brackets (Canay et al). 2000;117:15-9
Eruption guidance appliance; *see* Orthodontic appliances
Esthetics
Evaluation of profile esthetic change with mandibular advancement surgery (Shelly et al). 2000;117:630-7
Mysteries of asymmetries (Joondeph). 2000;117:577-9
Orthodontics about face: the re-emergence of the esthetic paradigm (Sarver and Ackerman). 2000;117:575-6
2D or not 2D? That is the question (Moss). 2000;117:580-1
Ethics
If a professional practice is a small business.. (Jerrold). 2000;117:624-5 (Litigation/legis./ethics)
Ethnic groups
Cephalometric comparisons between Chinese and Caucasian patients with obstructive sleep apnea (Liu et al). 2000;117:479-85
Interarch tooth size relationships of 3 populations: "Does Bolton's analysis apply?" (Smith et al). 2000;117:169-74
Evaluation studies
Clinical research about clinical treatment: a new agenda for a new century (Baumrind). 2000;117:548-50
Evidence-based treatment
Clinical research about clinical treatment: a new agenda for a new century (Baumrind). 2000;117:548-50
Evidence-based treatment strategies: an ambition for the future (Gianelly). 2000;117:543-4
Extraoral traction appliances
A clinical evaluation of a locking orthodontic facebow (Samuels et al). 2000;117:344-50
Comparison of Jones jig molar distalization appliance with extraoral traction (Haydar and Üner). 2000;117:49-53
The effects of a modified protraction headgear on maxilla (Alcan et al). 2000;117:27-38
A new approach in maxillary molar distalization: intraoral bodily molar distalizer (Keleş and Sayinsu). 2000;117:39-48
Sagittal changes after maxillary protraction with expansion in Class III patients in the primary, mixed, and late mixed dentitions: a longitudinal retrospective study (Saadia and Torres). 2000;117:669-80
Treatment effects of simple fixed appliance and reverse headgear in correction of anterior crossbites (Gu et al). 2000;117:691-9

F

Face
Dentofacial orthopedics or orthognathic surgery: Is it a matter of age? (Pancherz). 2000;117:571-4
Evaluation of profile esthetic change with mandibular advancement surgery (Shelly et al). 2000;117:630-7
Johnston analysis evaluation of Class II correction in patients belonging to Petrovic growth categories 3 and 5 (Moro et al). 2000;117:86-97
Orthodontics about face: the re-emergence of the esthetic paradigm (Sarver and Ackerman). 2000;117:575-6
2D or not 2D? That is the question (Moss). 2000;117:580-1
Face bow; *see* Extraoral traction appliances
Facial asymmetry
Mysteries of asymmetries (Joondeph). 2000;117:577-9
Two-year follow-up of distraction osteogenesis: its effect on mandibular ramus height in hemifacial microsomia (Marquez et al). 2000;117:130-9 (Case rep.)
Females; *see* Women
Fibroblasts
Basal nitric oxide production is enhanced by hydraulic pressure in cultured human periodontal ligament fibroblasts (Nakago-Matsuo et al). 2000;117:474-8
Finite element method
Alveolar bone resorption and the center of resistance modification (3-D analysis by means of the finite element method) (Geramy). 2000;117:399-405
Follow-up studies
Two-year follow-up of distraction osteogenesis: its effect on mandibular ramus height in hemifacial microsomia (Marquez et al). 2000;117:130-9 (Case rep.)
Forecasting
The decade ahead: finding a better way (Dugoni). 2000;117:615-7
Orthodontics in the next 100 years: prediction or speculation? (Keso). 2000;117:613-4
Future; *see* Forecasting

G

Gender; *see* Sex
Genetics
The genetics of human tooth agenesis: new discoveries for understanding dental anomalies (Vastardis). 2000;117:650-6
Orthodontic, genetic, and periodontal considerations in the treatment of impacted maxillary central incisors: a study of twins (Brand et al). 2000;117:68-74 (Case rep.)
Glass ionomer cements
Effect of light-cure time on the initial shear bond strength of a glass-ionomer adhesive (Bishara et al). 2000;117:164-8
Glenoid fossa
Improved clinical use of Twin-block and Herbst as a result of radiating viscoelastic tissue forces on the condyle and fossa in treatment and long-term retention: growth relativity (Voudouris and Kuftinec). 2000;117:247-66
Gold
Orthodontic bonding to artificial tooth surfaces: clinical versus laboratory findings (Zachrisson). 2000;117:592-4
Graber, T.M.
Vignette: T.M. Graber (Graber). 2000;117:516-24 (Vignette)
Growth and development
Cephalometric evaluation of the Twin-block appliance in the treatment of Class II Division 1 malocclusion with matched normative growth data (Trenouth). 2000;117:54-9
The contributions of craniofacial growth to clinical orthodontics (Nanda). 2000;117:553-5
Dental age in maxillary canine ectopia (Becker and Chaushu). 2000;117:657-62
Dental and facial skeletal characteristics and growth of males and females with Class II, Division 1 malocclusion between the ages of 10 and 14 (revisited)—part I: characteristics of size, form, and position (Rothstein and Yoon-Tarlie). 2000;117:320-32
Dentoalveolar and skeletal changes associated with the pendulum appliance (Bussick and McNamara). 2000;117:333-43
Dentofacial orthopedics or orthognathic surgery: Is it a matter of age? (Pancherz). 2000;117:571-4
Difference in dental lateral arch length between 9-year-olds born in the 1960s and the 1980s (Lindsten et al). 2000;117:663-8
The effects of chronic absence of active nasal respiration on the growth of the skull: a pilot study (Schlenker et al). 2000;117:706-13
Eruption guidance appliance effects in the treatment of Class II, Division 1 malocclusions (Janson et al). 2000;117:119-29
The genetics of human tooth agenesis: new discoveries for understanding dental anomalies (Vastardis). 2000;117:650-6
Improved clinical use of Twin-block and Herbst as a result of radiating viscoelastic tissue forces on the condyle and fossa in treatment and long-term retention: growth relativity (Voudouris and Kuftinec). 2000;117:247-66
Johnston analysis evaluation of Class II correction in patients belonging to Petrovic growth categories 3 and 5 (Moro et al). 2000;117:86-97
Maxillary and mandibular width changes studied using metallic implants (Gandini and Buschang). 2000;117:75-80
Nonsurgical and nonextraction treatment of skeletal Class III open bite: its long-term stability (Kondo and Aoba). 2000;117:267-87 (Case rep.)
Orthodontic relapse versus natural development (Thilander). 2000;117:562-3
The significance of late developmental crowding to early treatment planning for incisor crowding (Woodside). 2000;117:559-60
Toward understanding the molecular basis of craniofacial growth and development (Slavkin). 2000;117:538-9
Two-year follow-up of distraction osteogenesis: its effect on mandibular ramus height in hemifacial microsomia (Marquez et al). 2000;117:130-9 (Case rep.)

H

Head
Dental and facial skeletal characteristics and growth of males and females with Class II, Division 1 malocclusion between the ages of 10 and 14 (revisited)—part I: characteristics of size, form, and position (Rothstein and Yoon-Tarlie). 2000;117:320-32
Relationship of natural head position to craniofacial morphology (Leitao and Nanda). 2000;117:406-17
Headgear; *see* Extraoral traction appliances
Healing; *see* Wound healing
Hemifacial microsomia; *see* Facial asymmetry
Herbst appliance; *see* Orthodontic appliances
HLD Index
Useful data from application of the HLD (CalMod) Index (Parker). 2000;117:435-7
Hydraulic pressure
Basal nitric oxide production is enhanced by hydraulic pressure in cultured human periodontal ligament fibroblasts (Nakago-Matsuo et al). 2000;117:474-8
Hypodontia; *see* Anodontia

I

Implants
Cleft lip and palate management with maxillary expansion and space opening for a single tooth implant (Sabri). 2000;117:148-55 (Case rep.)
Maxillary and mandibular width changes studied using metallic implants (Gandini and Buschang). 2000;117:75-80
In memoriam
B.F. "Tod" Dewel—1902-1999 (Casko and DeKock). 2000;117:108-9
Brainerd F. Swain, 1911-1999 (Kassel). 2000;117:364
George S. Uchiyama, DDS, MS, 1922-1999 (Taeger). 2000;117:238
Lester Levern Merrifield, Feb 1, 1920 to Jan 15, 2000 (Dale). 2000;117:498-9
Maurice Samuel Berman, 1914-1999 (Safinia). 2000;117:500
Stanley Jacobs, 1939-2000 (Mollenhauer). 2000;117:501
William A. Mitchell, Jr, April 26, 1933 to March 17, 2000 (Rogers). 2000;117:621
Incisor
Alveolar bone resorption and the center of resistance modification (3-D analysis by means of the finite element method) (Geramy). 2000;117:399-405
Extraction of maxillary first bicuspids and mandibular lateral incisors, combined with orthognathic surgery to correct a severe Class II skeletal malocclusion (Cureton and Terhune). 2000;117:312-9 (Case rep.)
Muscle activity with the mandibular lip bumper (Klocke et al). 2000;117:384-90
An occlusal and cephalometric analysis of lower first and second premolar extraction effects (Shearn and Woods). 2000;117:351-61
Orthodontic, genetic, and periodontal considerations in the treatment of impacted maxillary central incisors: a study of twins (Brand et al). 2000;117:68-74 (Case rep.)
The significance of late developmental crowding to early treatment planning for incisor crowding (Woodside). 2000;117:559-60
The use of the lingual arch in the mixed dentition to resolve incisor crowding (Brennan and Gianelly). 2000;117:81-5
Vertical components of overbite change: a mathematical model (Naumann et al). 2000;117:486-95
Inference modeling; *see* Models, theoretical
Information systems
The evolution of orthodontics to a data-based specialty (Proffit). 2000;117:545-7
Injury; *see* Wounds and injuries
Insurance benefits
Useful data from application of the HLD (CalMod) Index (Parker). 2000;117:435-7
Internet
Do you have a satellite office in cyberspace? (Mah). 2000;117:622-3
Intraoral distalization
Comparison of Jones jig molar distalization appliance with extraoral traction (Haydar and Üner). 2000;117:49-53
A new approach in maxillary molar distalization: intraoral bodily molar distalizer (Keleş and Sayinsu). 2000;117:39-48

J

Jacobs, Stanley
Stanley Jacobs, 1939-2000 (Mollenhauer). 2000;117:501 (In memoriam)

Jaw relation record
An inference modeling of human visual judgment of sagittal jaw-base relationships based on cephalometry: part I (Takada et al). 2000;117:140-7
An inference modeling of human visual judgment of sagittal jaw-base relationships based on cephalometry: part II (Sorihashi et al). 2000;117:303-11
Seven parameters describing anteroposterior jaw relationships: postpubertal prediction accuracy and interchangeability (Ishikawa et al). 2000; 117:714-20
Johnston analysis
Johnston analysis evaluation of Class II correction in patients belonging to Petrovic growth categories 3 and 5 (Moro et al). 2000;117:86-97
Jones jig distalization; *see* Distalization
Jurisprudence
Admissibility of board certification (Jerrold). 2000;117:242-4 (Litigation/legis./ethics)
If a professional practice is a small business.. (Jerrold). 2000;117:624-5 (Litigation/legis./ethics)
Self-incrimination in the civil arena (Jerrold). 2000;117:507-9 (Litigation/legis./ethics)
Thwarting vicarious liability (Jerrold). 2000;117:370-2 (Litigation/legis./ethics)

L

Laboratories
Orthodontic bonding to artificial tooth surfaces: clinical versus laboratory findings (Zachrisson). 2000;117:592-4
Leeway space
The use of the lingual arch in the mixed dentition to resolve incisor crowding (Brennan and Gianelly). 2000;117:81-5
Legislation
Admissibility of board certification (Jerrold). 2000;117:242-4 (Litigation/legis./ethics)
Liability, legal
Thwarting vicarious liability (Jerrold). 2000;117:370-2 (Litigation/legis./ethics)
Lingual arch
The use of the lingual arch in the mixed dentition to resolve incisor crowding (Brennan and Gianelly). 2000;117:81-5
Lip
Muscle activity with the mandibular lip bumper (Klocke et al). 2000;117:384-90
Litigation, legislation, and ethics
Litigation, legislation, and ethics. 2000;117:240-1, 370-2, 507-9, 624-5
Long-face syndrome
The effects of chronic absence of active nasal respiration on the growth of the skull: a pilot study (Schlenker et al). 2000;117:706-13

M

Males; *see* Men
Malocclusion
The significance of late developmental crowding to early treatment planning for incisor crowding (Woodside). 2000;117:559-60
The use of the lingual arch in the mixed dentition to resolve incisor crowding (Brennan and Gianelly). 2000;117:81-5
Useful data from application of the HLD (CalMod) Index (Parker). 2000;117:435-7
Malocclusion, Angle Class I
Cleft lip and palate management with maxillary expansion and space opening for a single tooth implant (Sabri). 2000;117:148-55 (Case rep.)
Diagnostic criteria for pseudo–Class III malocclusion (Rabie and Gu). 2000;117:1-9
Treatment of a patient with a Class I malocclusion with bialveolar protrusion, mild upper and lower crowding, and mild mandibular prognathism (Orsini). 2000;117:453-8 (Case rep.)
Malocclusion, Angle Class II
Cephalometric evaluation of the Twin-block appliance in the treatment of Class II Division 1 malocclusion with matched normative growth data (Trenouth). 2000;117:54-9
Comparison of Jones jig molar distalization appliance with extraoral traction (Haydar and Üner). 2000;117:49-53
Dental and facial skeletal characteristics and growth of males and females with Class II, Division 1 malocclusion between the ages of 10 and 14 (revisited)—part I: characteristics of size, form, and position (Rothstein and Yoon-Tarlie). 2000;117:320-32
Dentoalveolar and skeletal changes associated with the pendulum appliance (Bussick and McNamara). 2000;117:333-43
Dentofacial orthopedics or orthognathic surgery: Is it a matter of age? (Pancherz). 2000;117:571-4
Eruption guidance appliance effects in the treatment of Class II, Division 1 malocclusions (Janson et al). 2000;117:119-29
Evaluation of profile esthetic change with mandibular advancement surgery (Shelly et al). 2000;117:630-7
Extraction of maxillary first bicuspids and mandibular lateral incisors, combined with orthognathic surgery to correct a severe Class II skeletal malocclusion (Cureton and Terhune). 2000;117:312-9 (Case rep.)
Johnston analysis evaluation of Class II correction in patients belonging to Petrovic growth categories 3 and 5 (Moro et al). 2000;117:86-97
A new approach in maxillary molar distalization: intraoral bodily molar distalizer (Keleş and Sayinsu). 2000;117:39-48
Nonextraction treatment of a high-angle Class II malocclusion: a case report (Giancotti). 2000;117:721-7 (Case rep.)
Treatment of a Class II, Division 1 malocclusion with the extraction of maxillary canines and mandibular first premolars (Schach). 2000;117:459-64 (Case rep.)
Treatment of a Class II Division 1 malocclusion with a severe unilateral lingual crossbite with combined orthodontic/orthognathic surgery (Cureton et al). 2000;117:728-34 (Case rep.)
Malocclusion, Angle Class III
Craniofacial morphology in orthodontically treated patients of Class III malocclusion with stable and unstable treatment outcomes (Tahmina et al). 2000;117:681-90
The effects of a modified protraction headgear on maxilla (Alcan et al). 2000;117:27-38
Nonsurgical and nonextraction treatment of skeletal Class III open bite: its long-term stability (Kondo and Aoba). 2000;117:267-87 (Case rep.)
Sagittal changes after maxillary protraction with expansion in Class III patients in the primary, mixed, and late mixed dentitions: a longitudinal retrospective study (Saadia and Torres). 2000;117:669-80
Treatment effects of simple fixed appliance and reverse headgear in correction of anterior crossbites (Gu et al). 2000;117:691-9
Malpractice
Self-incrimination in the civil arena (Jerrold). 2000;117:507-9 (Litigation/legis./ethics)
Mandible
Extraction of maxillary first bicuspids and mandibular lateral incisors, combined with orthognathic surgery to correct a severe Class II skeletal malocclusion (Cureton and Terhune). 2000;117:312-9 (Case rep.)
Johnston analysis evaluation of Class II correction in patients belonging to Petrovic growth categories 3 and 5 (Moro et al). 2000;117:86-97
Maxillary and mandibular width changes studied using metallic implants (Gandini and Buschang). 2000;117:75-80
Muscle activity with the mandibular lip bumper (Klocke et al). 2000;117:384-90
Rapid orthodontic tooth movement into newly distracted bone after mandibular distraction osteogenesis in a canine model (Liou et al). 2000;117:391-8
Relationship of natural head position to craniofacial morphology (Leitao and Nanda). 2000;117:406-17
Treatment of a Class I bimaxillary protrusive malocclusion with a high mandibular plane angle: an American Board of Orthodontics case report (Griffies and Meyers). 2000;117:60-7 (Case rep.)
Treatment of a Class II, Division 1, malocclusion with the extraction of maxillary canines and mandibular first premolars (Schach). 2000;117:459-64 (Case rep.)
Treatment of a patient with a Class I malocclusion with bialveolar protrusion, mild upper and lower crowding, and mild mandibular prognathism (Orsini). 2000;117:453-8 (Case rep.)
Two-year follow-up of distraction osteogenesis: its effect on mandibular ramus height in hemifacial microsomia (Marquez et al). 2000;117:130-9 (Case rep.)

The use of the lingual arch in the mixed dentition to resolve incisor crowding (Brennan and Gianelly). 2000;117:81-5
Vertical components of overbite change: a mathematical model (Naumann et al). 2000;117:486-95

Mandibular advancement surgery
A comparative study of skeletal and dental stability between rigid and wire fixation for mandibular advancement (Keeling et al). 2000;117:638-49
Evaluation of profile esthetic change with mandibular advancement surgery (Shelly et al). 2000;117:630-7

Mandibular condyle
Improved clinical use of Twin-block and Herbst as a result of radiating viscoelastic tissue forces on the condyle and fossa in treatment and long-term retention: growth relativity (Voudouris and Kuftinec). 2000;117:247-66
Otic axis locator: closing the accuracy gap in cephalometrics and cast mounting (Thurow). 2000;117:298-302

Mastication
Muscle activity with the mandibular lip bumper (Klocke et al). 2000; 117:384-90
Nonsurgical and nonextraction treatment of skeletal Class III open bite: its long-term stability (Kondo and Aoba). 2000;117:267-87 (Case rep.)

Masticatory muscles
Improved clinical use of Twin-block and Herbst as a result of radiating viscoelastic tissue forces on the condyle and fossa in treatment and long-term retention: growth relativity (Voudouris and Kuftinec). 2000;117:247-66
Nonsurgical and nonextraction treatment of skeletal Class III open bite: its long-term stability (Kondo and Aoba). 2000;117:267-87 (Case rep.)

Mathematical model; *see* Models, theoretical

Maxilla
Cleft lip and palate management with maxillary expansion and space opening for a single tooth implant (Sabri). 2000;117:148-55 (Case rep.)
Dental age in maxillary canine ectopia (Becker and Chaushu). 2000;117:657-62
The effects of a modified protraction headgear on maxilla (Alcan et al). 2000;117:27-38
Extraction of maxillary first bicuspids and mandibular lateral incisors, combined with orthognathic surgery to correct a severe Class II skeletal malocclusion (Cureton and Terhune). 2000;117:312-9 (Case rep.)
Maxillary and mandibular width changes studied using metallic implants (Gandini and Buschang). 2000;117:75-80
Maxillary transverse deficiency (McNamara). 2000;117:567-70
A new approach in maxillary molar distalization: intraoral bodily molar distalizer (Keleş and Sayinsu). 2000;117:39-48
Orthodontic, genetic, and periodontal considerations in the treatment of impacted maxillary central incisors: a study of twins (Brand et al). 2000;117:68-74 (Case rep.)
Treatment of a Class I bimaxillary protrusive malocclusion with a high mandibular plane angle: an American Board of Orthodontics case report (Griffies and Meyers). 2000;117:60-7 (Case rep.)
Treatment of a Class II, Division 1, malocclusion with the extraction of maxillary canines and mandibular first premolars (Schach). 2000;117:459-64 (Case rep.)
Vertical components of overbite change: a mathematical model (Naumann et al). 2000;117:486-95

Medicaid
Useful data from application of the HLD (CalMod) Index (Parker). 2000;117:435-7

Men
Dental and facial skeletal characteristics and growth of males and females with Class II, Division 1 malocclusion between the ages of 10 and 14 (revisited)—part I: characteristics of size, form, and position (Rothstein and Yoon-Tarlie). 2000;117:320-32

Merrifield, Lester Levern
Lester Levern Merrifield, Feb 1, 1920 to Jan 15, 2000 (Dale). 2000;117:498-9 (In memoriam)

Metals
The effect of enamel air abrasion on the retention of bonded metallic orthodontic brackets (Canay et al). 2000;117:15-9
Maxillary and mandibular width changes studied using metallic implants (Gandini and Buschang). 2000;117:75-80

Mitchell, William A. Jr
William A. Mitchell, Jr, April 26, 1933 to March 17, 2000 (Rogers). 2000;117:621 (In memoriam)

Mixed dentition; *see* Dentition

Models, theoretical
The effect of tooth size discrepancy on occlusion: an experimental study (Heusdens et al). 2000;117:184-91
An inference modeling of human visual judgment of sagittal jaw-base relationships based on cephalometry: part I (Takada et al). 2000;117:140-7
An inference modeling of human visual judgment of sagittal jaw-base relationships based on cephalometry: part II (Sorihashi et al). 2000;117:303-11
Vertical components of overbite change: a mathematical model (Naumann et al). 2000;117:486-95

Molar
Comparison of Jones jig molar distalization appliance with extraoral traction (Haydar and Üner). 2000;117:49-53
For four sixes (Sandler et al). 2000;117:418-34 (Special article)
Muscle activity with the mandibular lip bumper (Klocke et al). 2000;117:384-90
A new approach in maxillary molar distalization: intraoral bodily molar distalizer (Keleş and Sayinsu). 2000;117:39-48
Nonextraction treatment of a high-angle Class II malocclusion: a case report (Giancotti). 2000;117:721-7 (Case rep.)
An occlusal and cephalometric analysis of lower first and second premolar extraction effects (Shearn and Woods). 2000;117:351-61

Molecular biology
Toward understanding the molecular basis of craniofacial growth and development (Slavkin). 2000;117:538-9

Mongoloid race
Cephalometric comparisons between Chinese and Caucasian patients with obstructive sleep apnea (Liu et al). 2000;117:479-85
Diagnostic criteria for pseudo–Class III malocclusion (Rabie and Gu). 2000;117:1-9

Mouth breathing
The effects of chronic absence of active nasal respiration on the growth of the skull: a pilot study (Schlenker et al). 2000;117:706-13

Mummies
Dental and skeletal findings on an ancient Egyptian mummy (Thekkaniyil et al). 2000;117:10-4

Muscles
Improved clinical use of Twin-block and Herbst as a result of radiating viscoelastic tissue forces on the condyle and fossa in treatment and long-term retention: growth relativity (Voudouris and Kuftinec). 2000; 117:247-66
Muscle activity with the mandibular lip bumper (Klocke et al). 2000; 117:384-90
Nonsurgical and nonextraction treatment of skeletal Class III open bite: its long-term stability (Kondo and Aoba). 2000;117:267-87 (Case rep.)

N

Nasal obstruction
The effects of chronic absence of active nasal respiration on the growth of the skull: a pilot study (Schlenker et al). 2000;117:706-13

National standards
Ceramic brackets and the need to develop national standards (Bishara). 2000;117:595-7

Natural development
Orthodontic relapse versus natural development (Thilander). 2000;117:562-3

Natural head position
Relationship of natural head position to craniofacial morphology (Leitao and Nanda). 2000;117:406-17

Nitric oxide
Basal nitric oxide production is enhanced by hydraulic pressure in cultured human periodontal ligament fibroblasts (Nakago-Matsuo et al). 2000;117:474-8

Nova Southeastern University
New orthodontic program at Nova Southeastern University (Meister and Masella). 2000;117:115

O

Obituaries
B.F. "Tod" Dewel—1902-1999 (Casko and DeKock). 2000;117:108-9 (In memoriam)
Brainerd F. Swain, 1911-1999 (Kassel). 2000;117:364 (In memoriam)
George S. Uchiyama, DDS, MS, 1922-1999 (Taeger). 2000;117:238 (In memoriam)
Lester Levern Merrifield, Feb 1, 1920 to Jan 15, 2000 (Dale). 2000;117:498-9 (In memoriam)
Maurice Samuel Berman, 1914-1999 (Safinia). 2000;117:500 (In memoriam)
Stanley Jacobs, 1939-2000 (Mollenhauer). 2000;117:501 (In memoriam)
William A. Mitchell, Jr, April 26, 1933 to March 17, 2000 (Rogers). 2000;117:621 (In memoriam)
Obstructed airway
The effects of chronic absence of active nasal respiration on the growth of the skull: a pilot study (Schlenker et al). 2000;117:706-13
Obstructive sleep apnea; *see* Sleep apnea syndromes
Occlusion
The effect of tooth size discrepancy on occlusion: an experimental study (Heusdens et al). 2000;117:184-91
Seven parameters describing anteroposterior jaw relationships: postpubertal prediction accuracy and interchangeability (Ishikawa et al). 2000;117:714-20
Oligodontia
The genetics of human tooth agenesis: new discoveries for understanding dental anomalies (Vastardis). 2000;117:650-6
Online systems
Online *AJO/DO* becomes a member benefit (Turpin). 2000;117:629 (Editorial)
Open bite
The effects of a modified protraction headgear on maxilla (Alcan et al). 2000;117:27-38
Nonsurgical and nonextraction treatment of skeletal Class III open bite: its long-term stability (Kondo and Aoba). 2000;117:267-87 (Case rep.)
Oral respiration; *see* Mouth breathing
Ortho bytes
Ortho bytes. 2000;117:110-2, 240-1, 367-9, 504-6, 622-3, 737-40
Orthodontic appliances
Angle, the innovator, mechanical genius, and clinician (Matasa and Graber). 2000;117:444-52 (Special article)
Cephalometric evaluation of the Twin-block appliance in the treatment of Class II Division 1 malocclusion with matched normative growth data (Trenouth). 2000;117:54-9
Dentoalveolar and skeletal changes associated with the pendulum appliance (Bussick and McNamara). 2000;117:333-43
Eruption guidance appliance effects in the treatment of Class II, Division 1 malocclusions (Janson et al). 2000;117:119-29
Evaluation of the vertical holding appliance in treatment of high-angle patients (DeBerardinis et al). 2000;117:700-6
For four sixes (Sandler et al). 2000;117:418-34 (Special article)
A histologic and histomorphometric evaluation of pulpal reactions following rapid palatal expansion (Kayhan et al). 2000;117:465-73
Improved clinical use of Twin-block and Herbst as a result of radiating viscoelastic tissue forces on the condyle and fossa in treatment and long-term retention: growth relativity (Voudouris and Kuftinec). 2000;117:247-66
Muscle activity with the mandibular lip bumper (Klocke et al). 2000;117:384-90
Nonextraction treatment of a high-angle Class II malocclusion: a case report (Giancotti). 2000;117:721-7 (Case rep.)
Orthodontic biomechanics: vistas from the top of a new century (Kusy). 2000;117:589-91
Orthodontics as a science: the role of biomechanics (Burstone). 2000;117:598-600
Sagittal changes after maxillary protraction with expansion in Class III patients in the primary, mixed, and late mixed dentitions: a longitudinal retrospective study (Saadia and Torres). 2000;117:669-80
Treatment effects of simple fixed appliance and reverse headgear in correction of anterior crossbites (Gu et al). 2000;117:691-9
Orthodontic brackets
The air-abrasion technique versus the conventional acid-etching technique: a quantification of surface enamel loss and a comparison of shear bond strength (Waveren Hogervorst et al). 2000;117:20-6
Ceramic brackets and the need to develop national standards (Bishara). 2000;117:595-7
The effect of enamel air abrasion on the retention of bonded metallic orthodontic brackets (Canay et al). 2000;117:15-9
Orthodontic biomechanics: vistas from the top of a new century (Kusy). 2000;117:589-91
Orthodontics as a science: the role of biomechanics (Burstone). 2000;117:598-600
Shear bond strengths of orthodontic plastic brackets (Guan et al). 2000;117:438-43
Orthodontic facebow; *see* Extraoral traction appliances
Orthodontic relapse
Orthodontic relapse versus natural development (Thilander). 2000;117:562-3
Orthodontic wires
A comparative study of skeletal and dental stability between rigid and wire fixation for mandibular advancement (Keeling et al). 2000;117:638-49
Orthodontic biomechanics: vistas from the top of a new century (Kusy). 2000;117:589-91
Orthodontics as a science: the role of biomechanics (Burstone). 2000;117:598-600
Orthognathic surgery
Dentofacial orthopedics or orthognathic surgery: Is it a matter of age? (Pancherz). 2000;117:571-4
Extraction of maxillary first bicuspids and mandibular lateral incisors, combined with orthognathic surgery to correct a severe Class II skeletal malocclusion (Cureton and Terhune). 2000;117:312-9 (Case rep.)
Nonsurgical and nonextraction treatment of skeletal Class III open bite: its long-term stability (Kondo and Aoba). 2000;117:267-87 (Case rep.)
Treatment of a Class II Division 1 malocclusion with a severe unilateral lingual crossbite with combined orthodontic/orthognathic surgery (Cureton et al). 2000;117:728-34 (Case rep.)
Orthopedics
Dentofacial orthopedics or orthognathic surgery: Is it a matter of age? (Pancherz). 2000;117:571-4
Osteogenesis
Rapid orthodontic tooth movement into newly distracted bone after mandibular distraction osteogenesis in a canine model (Liou et al). 2000;117:391-8
Two-year follow-up of distraction osteogenesis: its effect on mandibular ramus height in hemifacial microsomia (Marquez et al). 2000;117:130-9 (Case rep.)
Osteotomy
Extraction of maxillary first bicuspids and mandibular lateral incisors, combined with orthognathic surgery to correct a severe Class II skeletal malocclusion (Cureton and Terhune). 2000;117:312-9 (Case rep.)
Treatment of a Class II Division 1 malocclusion with a severe unilateral lingual crossbite with combined orthodontic/orthognathic surgery (Cureton et al). 2000;117:728-34 (Case rep.)
Ottolengui, Rodrigues
Rodrigues Ottolengui, MDS, DDS, LLD, FACD (Wahl). 2000;117:365-6 (Vignette)
Outcome assessment
Craniofacial morphology in orthodontically treated patients of Class III malocclusion with stable and unstable treatment outcomes (Tahmina et al). 2000;117:681-90
Evaluation of profile esthetic change with mandibular advancement surgery (Shelly et al). 2000;117:630-7
Evaluation of the vertical holding appliance in treatment of high-angle patients (DeBerardinis et al). 2000;117:700-6
Treatment effects of simple fixed appliance and reverse headgear in correction of anterior crossbites (Gu et al). 2000;117:691-9
Overbite
Vertical components of overbite change: a mathematical model (Naumann et al). 2000;117:486-95

P

Palatal expansion technique
Cleft lip and palate management with maxillary expansion and space opening for a single tooth implant (Sabri). 2000;117:148-55(Case rep.)
A histologic and histomorphometric evaluation of pulpal reactions following rapid palatal expansion (Kayhan et al). 2000;117:465-73
Sagittal changes after maxillary protraction with expansion in Class III patients in the primary, mixed, and late mixed dentitions: a longitudinal retrospective study (Saadia and Torres). 2000;117:669-80

Palate
Cleft lip and palate management with maxillary expansion and space opening for a single tooth implant (Sabri). 2000;117:148-55 (Case rep.)
Dental age in maxillary canine ectopia (Becker and Chaushu). 2000; 117:657-62
Reconstruction of an alveolar cleft for orthodontic tooth movement (Yilmaz et al). 2000;117:156-63 (Case rep.)

Patient care planning
Clinical research about clinical treatment: a new agenda for a new century (Baumrind). 2000;117:548-50
Enhancing the value of orthodontic treatment: incorporating effective preventive dentistry into treatment (Boyd). 2000;117:601-3
The evolutionary tidal wave (Alexander). 2000;117:604-5
Orthodontic magic (Vaden). 2000;117:584-5
Orthodontics about face: the re-emergence of the esthetic paradigm (Sarver and Ackerman). 2000;117:575-6
The significance of late developmental crowding to early treatment planning for incisor crowding (Woodside). 2000;117:559-60

Pendulum appliance; *see* Orthodontic appliances

Periodontal ligament
Basal nitric oxide production is enhanced by hydraulic pressure in cultured human periodontal ligament fibroblasts (Nakago-Matsuo et al). 2000; 117:474-8
Effect of root and bone morphology on the stress distribution in the periodontal ligament (Choy et al). 2000;117:98-105
Orthodontic relapse versus natural development (Thilander). 2000;117:562-3

Periodontics
Orthodontic, genetic, and periodontal considerations in the treatment of impacted maxillary central incisors: a study of twins (Brand et al). 2000;117:68-74 (Case rep.)

Petrovic growth
Johnston analysis evaluation of Class II correction in patients belonging to Petrovic growth categories 3 and 5 (Moro et al). 2000;117:86-97

Polysomnography
Cephalometric comparisons between Chinese and Caucasian patients with obstructive sleep apnea (Liu et al). 2000;117:479-85

Population
Interarch tooth size relationships of 3 populations: "Does Bolton's analysis apply?" (Smith et al). 2000;117:169-74

Porcelain
Orthodontic bonding to artificial tooth surfaces: clinical versus laboratory findings (Zachrisson). 2000;117:592-4

Practice management
Contemporary technology-centered practice (Turpin). 2000;117:606-8
If a professional practice is a small business.. (Jerrold). 2000;117:624-5 (Litigation/legis./ethics)
The winds of change (Jacobson). 2000;117:611-2

Predictive value of tests
Seven parameters describing anteroposterior jaw relationships: postpubertal prediction accuracy and interchangeability (Ishikawa et al). 2000; 117:714-20

Premolar
Extraction of maxillary first bicuspids and mandibular lateral incisors, combined with orthognathic surgery to correct a severe Class II skeletal malocclusion (Cureton and Terhune). 2000;117:312-9 (Case rep.)
For four sixes (Sandler et al). 2000;117:418-34 (Special article)
A histologic and histomorphometric evaluation of pulpal reactions following rapid palatal expansion (Kayhan et al). 2000;117:465-73
An occlusal and cephalometric analysis of lower first and second premolar extraction effects (Shearn and Woods). 2000;117:351-61
Rapid orthodontic tooth movement into newly distracted bone after mandibular distraction osteogenesis in a canine model (Liou et al). 2000;117:391-8
Treatment of a Class I bimaxillary protrusive malocclusion with a high mandibular plane angle: an American Board of Orthodontics case report (Griffies and Meyers). 2000;117:60-7 (Case rep.)
Treatment of a Class II, Division 1, malocclusion with the extraction of maxillary canines and mandibular first premolars (Schach). 2000;117:459-64 (Case rep.)

Presentation delivery
Planning considerations for digital conversion of 35 mm slides (Regennitter). 2000;117:110-2

Pressure
Basal nitric oxide production is enhanced by hydraulic pressure in cultured human periodontal ligament fibroblasts (Nakago-Matsuo et al). 2000;117:474-8

Preventive dentistry
Enhancing the value of orthodontic treatment: incorporating effective preventive dentistry into treatment (Boyd). 2000;117:601-3

Primary dentition; *see* Dentition

Professional practice location
Contemporary technology-centered practice (Turpin). 2000;117:606-8

Professional standards
Ceramic brackets and the need to develop national standards (Bishara). 2000;117:595-7

Profile esthetics; *see* Esthetics

Prognathism
The effects of a modified protraction headgear on maxilla (Alcan et al). 2000;117:27-38
Treatment of a patient with a Class I malocclusion with bialveolar protrusion, mild upper and lower crowding, and mild mandibular prognathism (Orsini). 2000;117:453-8 (Case rep.)

Promotion; *see* Advertising

Protraction headgear; *see* Extraoral traction appliances

Protrusion
Treatment of a Class I bimaxillary protrusive malocclusion with a high mandibular plane angle: an American Board of Orthodontics case report (Griffies and Meyers). 2000;117:60-7 (Case rep.)

Pseudo–Class III malocclusion
Diagnostic criteria for pseudo–Class III malocclusion (Rabie and Gu). 2000;117:1-9

Publications
Online *AJO/DO* becomes a member benefit (Turpin). 2000;117:629 (Editorial)

Pulpal tissue; *see* Dental pulp

R

Radiography
Cephalometric evaluation of the Twin-block appliance in the treatment of Class II Division 1 malocclusion with matched normative growth data (Trenouth). 2000;117:54-9
Dental and facial skeletal characteristics and growth of males and females with Class II, Division 1 malocclusion between the ages of 10 and 14 (revisited)—part I: characteristics of size, form, and position (Rothstein and Yoon-Tarlie). 2000;117:320-32
Otic axis locator: closing the accuracy gap in cephalometrics and cast mounting (Thurow). 2000;117:298-302

Rapid palatal expansion; *see* Palatal expansion technique

Regression analysis
An inference modeling of human visual judgment of sagittal jaw-base relationships based on cephalometry: part I (Takada et al). 2000;117:140-7

Relapse
Orthodontic relapse versus natural development (Thilander). 2000;117:562-3

Research
Clinical research about clinical treatment: a new agenda for a new century (Baumrind). 2000;117:548-50

Resistance
Alveolar bone resorption and the center of resistance modification (3-D analysis by means of the finite element method) (Geramy). 2000; 117:399-405

Respiration
The effects of chronic absence of active nasal respiration on the growth of the skull: a pilot study (Schlenker et al). 2000;117:706-13
Respiratory tract
Cephalometric comparisons between Chinese and Caucasian patients with obstructive sleep apnea (Liu et al). 2000;117:479-85
Retention
The effect of enamel air abrasion on the retention of bonded metallic orthodontic brackets (Canay et al). 2000;117:15-9
Improved clinical use of Twin-block and Herbst as a result of radiating viscoelastic tissue forces on the condyle and fossa in treatment and long-term retention: growth relativity (Voudouris and Kuftinec). 2000;117:247-66
Retrognathism
Cleft lip and palate management with maxillary expansion and space opening for a single tooth implant (Sabri). 2000;117:148-55 (Case rep.)
The effects of a modified protraction headgear on maxilla (Alcan et al). 2000;117:27-38
Improved clinical use of Twin-block and Herbst as a result of radiating viscoelastic tissue forces on the condyle and fossa in treatment and long-term retention: growth relativity (Voudouris and Kuftinec). 2000; 117:247-66
Relationship of natural head position to craniofacial morphology (Leitao and Nanda). 2000;117:406-17
Ricketts, Robert Murray
Robert Murray Ricketts, DDS, MS (Stutts). 2000;117:239 (Vignette)
Rigid fixation
A comparative study of skeletal and dental stability between rigid and wire fixation for mandibular advancement (Keeling et al). 2000;117:638-49

S

Safety
A clinical evaluation of a locking orthodontic facebow (Samuels et al). 2000;117:344-50
Sagittal jaw-base relationship; *see* Jaw relation record
Sandblasting; *see* Acid etching
Science
Tomorrow's challenges for the science of orthodontics (Sinclair). 2000;117:551-2
Serial extraction
Serial extraction..nobody does that anymore! (Dale). 2000;117:564-6
Sex
Dental and facial skeletal characteristics and growth of males and females with Class II, Division 1 malocclusion between the ages of 10 and 14 (revisited)—part I: characteristics of size, form, and position (Rothstein and Yoon-Tarlie). 2000;117:320-32
Interarch tooth size relationships of 3 populations: "Does Bolton's analysis apply?" (Smith et al). 2000;117:169-74
Shear bond strength; *see* Bond strength
Short communication
Short communication. 2000;117:435-7
Skull
Dental and facial skeletal characteristics and growth of males and females with Class II, Division 1 malocclusion between the ages of 10 and 14 (revisited)—part I: characteristics of size, form, and position (Rothstein and Yoon-Tarlie). 2000;117:320-32
The effects of chronic absence of active nasal respiration on the growth of the skull: a pilot study (Schlenker et al). 2000;117:706-13
Relationship of natural head position to craniofacial morphology (Leitao and Nanda). 2000;117:406-17
Sleep apnea syndromes
Cephalometric comparisons between Chinese and Caucasian patients with obstructive sleep apnea (Liu et al). 2000;117:479-85
Slides
Planning considerations for digital conversion of 35 mm slides (Regennitter). 2000;117:110-2
Societies
The American Association of Orthodontists: for our common good, today and tomorrow (Graham and Rennert). 2000;117:527-9
The American Association of Orthodontists at 2000: some thoughts for the new millennium (Moen). 2000;117:525-6
American Association of Orthodontists Foundation: past, present, and future (Pershing and Even). 2000;117:533-5
Clubs, quips, phrases, and hype: musings for the new millennium (Dougherty). 2000;117:586-8
Orthodontia: its outlook (Behrents). 2000;117:513-5
Software
Clinical implications of digital orthodontics (Redmond et al). 2000;117:240-1
Computer voice recognition (Powers). 2000;117:504-6
Data loss prevention and useful utilities (Abelson). 2000;117:367-9
Do you have a satellite office in cyberspace? (Mah). 2000;117:622-3
Planning considerations for digital conversion of 35 mm slides (Regennitter). 2000;117:110-2
Special article
Special articles. 2000;117:418-34, 444-52
Specialties
Pride in orthodontics (Graber). 2000;117:618-20
Specialty boards
Admissibility of board certification (Jerrold). 2000;117:242-4 (Litigation/legis./ethics)
American Board of Orthodontics: past, present, and future (Vaden and Kokich). 2000;117:530-2
Speech
Muscle activity with the mandibular lip bumper (Klocke et al). 2000;117:384-90
Standards
Ceramic brackets and the need to develop national standards (Bishara). 2000;117:595-7
Swain, Brainerd F.
Brainerd F. Swain, 1911-1999 (Kassel). 2000;117:364 (In memoriam)
Swallowing; *see* Deglutition

T

Teaching
Clubs, quips, phrases, and hype: musings for the new millennium (Dougherty). 2000;117:586-8
Critical issues in academic orthodontics (Vig and Kronmiller). 2000; 117:113-5
New orthodontic program at Nova Southeastern University (Meister and Masella). 2000;117:115
One viewpoint on teaching clinical orthodontics (Isaacson). 2000;117:609-10
Technology
Clinical implications of digital orthodontics (Redmond et al). 2000;117:240-1
Computer voice recognition (Powers). 2000;117:504-6
Contemporary technology-centered practice (Turpin). 2000;117:606-8
Planning considerations for digital conversion of 35 mm slides (Regennitter). 2000;117:110-2
Temporomandibular joint
Nonsurgical and nonextraction treatment of skeletal Class III open bite: its long-term stability (Kondo and Aoba). 2000;117:267-87 (Case rep.)
35 mm slides
Planning considerations for digital conversion of 35 mm slides (Regennitter). 2000;117:110-2
Three-dimensional analysis
Alveolar bone resorption and the center of resistance modification (3-D analysis by means of the finite element method) (Geramy). 2000;117:399-405
Tongue
Nonsurgical and nonextraction treatment of skeletal Class III open bite: its long-term stability (Kondo and Aoba). 2000;117:267-87 (Case rep.)
Tooth, artificial
Orthodontic bonding to artificial tooth surfaces: clinical versus laboratory findings (Zachrisson). 2000;117:592-4
Tooth, impacted
Orthodontic, genetic, and periodontal considerations in the treatment of impacted maxillary central incisors: a study of twins (Brand et al). 2000;117:68-74 (Case rep.)
Tooth abrasion
The air-abrasion technique versus the conventional acid-etching technique: a quantification of surface enamel loss and a comparison of shear bond strength (Waveren Hogervorst et al). 2000;117:20-6

The effect of enamel air abrasion on the retention of bonded metallic orthodontic brackets (Canay et al). 2000;117:15-9

Tooth crowding; *see* Malocclusion

Tooth eruption

Eruption guidance appliance effects in the treatment of Class II, Division 1 malocclusions (Janson et al). 2000;117:119-29

Tooth eruption, ectopic

Dental age in maxillary canine ectopia (Becker and Chaushu). 2000; 117:657-62

Tooth extraction

The effect of tooth size discrepancy on occlusion: an experimental study (Heusdens et al). 2000;117:184-91

Extraction of maxillary first bicuspids and mandibular lateral incisors, combined with orthognathic surgery to correct a severe Class II skeletal malocclusion (Cureton and Terhune). 2000;117:312-9 (Case rep.)

For four sixes (Sandler et al). 2000;117:418-34 (Special article)

An occlusal and cephalometric analysis of lower first and second premolar extraction effects (Shearn and Woods). 2000;117:351-61

Serial extraction..nobody does that anymore! (Dale). 2000;117:564-6

A statement regarding early treatment (Ricketts). 2000;117:556-8

Treatment of a Class II, Division 1, malocclusion with the extraction of maxillary canines and mandibular first premolars (Schach). 2000;117:459-64 (Case rep.)

Tooth movement

Basal nitric oxide production is enhanced by hydraulic pressure in cultured human periodontal ligament fibroblasts (Nakago-Matsuo et al). 2000;117:474-8

Effect of root and bone morphology on the stress distribution in the periodontal ligament (Choy et al). 2000;117:98-105

Human tooth movement in response to continuous stress of low magnitude (Iwasaki et al). 2000;117:175-83

A new approach in maxillary molar distalization: intraoral bodily molar distalizer (Keleş and Sayinsu). 2000;117:39-48

An occlusal and cephalometric analysis of lower first and second premolar extraction effects (Shearn and Woods). 2000;117:351-61

Orthodontic relapse versus natural development (Thilander). 2000;117:562-3

Orthodontics as a science: the role of biomechanics (Burstone). 2000;117:598-600

Rapid orthodontic tooth movement into newly distracted bone after mandibular distraction osteogenesis in a canine model (Liou et al). 2000;117:391-8

Reconstruction of an alveolar cleft for orthodontic tooth movement (Yilmaz et al). 2000;117:156-63 (Case rep.)

Tooth root

Effect of root and bone morphology on the stress distribution in the periodontal ligament (Choy et al). 2000;117:98-105

Tooth size

The effect of tooth size discrepancy on occlusion: an experimental study (Heusdens et al). 2000;117:184-91

Interarch tooth size relationships of 3 populations: "Does Bolton's analysis apply?" (Smith et al). 2000;117:169-74

Transplantation, autologous

Healing of autogenous intramembranous bone in the presence and absence of homologous demineralized intramembranous bone (Rabie et al). 2000;117:288-97

Transplantation, homologous

Healing of autogenous intramembranous bone in the presence and absence of homologous demineralized intramembranous bone (Rabie et al). 2000;117:288-97

Treatment outcome

Craniofacial morphology in orthodontically treated patients of Class III malocclusion with stable and unstable treatment outcomes (Tahmina et al). 2000;117:681-90

Evaluation of profile esthetic change with mandibular advancement surgery (Shelly et al). 2000;117:630-7

Evaluation of the vertical holding appliance in treatment of high-angle patients (DeBerardinis et al). 2000;117:700-6

Treatment effects of simple fixed appliance and reverse headgear in correction of anterior crossbites (Gu et al). 2000;117:691-9

Treatment protocols; *see* Clinical protocols

Twin-block appliance; *see* Orthodontic appliances

Twins

Orthodontic, genetic, and periodontal considerations in the treatment of impacted maxillary central incisors: a study of twins (Brand et al). 2000;117:68-74 (Case rep.)

U

Uchiyama, George S.

George S. Uchiyama, DDS, MS, 1922-1999 (Taeger). 2000;117:238 (In memoriam)

Upper airway; *see* Respiratory tract

V

Vertical dimension

Evaluation of the vertical holding appliance in treatment of high-angle patients (DeBerardinis et al). 2000;117:700-6

Interarch tooth size relationships of 3 populations: "Does Bolton's analysis apply?" (Smith et al). 2000;117:169-74

An occlusal and cephalometric analysis of lower first and second premolar extraction effects (Shearn and Woods). 2000;117:351-61

Treatment of a Class I bimaxillary protrusive malocclusion with a high mandibular plane angle: an American Board of Orthodontics case report (Griffies and Meyers). 2000;117:60-7 (Case rep.)

Vertical components of overbite change: a mathematical model (Naumann et al). 2000;117:486-95

Vignette

Vignette. 2000;117:239, 365-6, 502-3, 516-24

Viscoelastic tissues

Improved clinical use of Twin-block and Herbst as a result of radiating viscoelastic tissue forces on the condyle and fossa in treatment and long-term retention: growth relativity (Voudouris and Kuftinec). 2000;117:247-66

Visual judgment

An inference modeling of human visual judgment of sagittal jaw-base relationships based on cephalometry: part II (Sorihashi et al). 2000;117:303-11

Voice recognition

Computer voice recognition (Powers). 2000;117:504-6

W

Weinberger, Bernhard Wolf

Bernhard Wolf Weinberger (1885-1960) (Wahl). 2000;117:502-3 (Vignette)

Women

Dental and facial skeletal characteristics and growth of males and females with Class II, Division 1 malocclusion between the ages of 10 and 14 (revisited)—part I: characteristics of size, form, and position (Rothstein and Yoon-Tarlie). 2000;117:320-32

World Federation of Orthodontists

The World Federation of Orthodontists: "bringing the world together" (DeKock and Graber). 2000;117:536-7

World Wide Web

Do you have a satellite office in cyberspace? (Mah). 2000;117:622-3

Wound healing

Healing of autogenous intramembranous bone in the presence and absence of homologous demineralized intramembranous bone (Rabie et al). 2000;117:288-97

Wounds and injuries

A clinical evaluation of a locking orthodontic facebow (Samuels et al). 2000;117:344-50

Writing

Stop me before I write again.. (Johnston). 2000;117:540-2